

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾[Sign in](#)[Google](#) [Search](#) [Advanced Search](#)[Preferences](#)

Web Results 1 - 10 of about 27,100 for **relational database with object oriented extension API query**. (0.24 s)

Title Index

NET and J2EE · A Comprehensive Solution to the XML-to-**Relational** Mapping Problem ...
A Distributed **Object-Oriented Database** System Supporting Shared and ...
[dret.net/biblio/titles](#) - 977k - [Cached](#) - [Similar pages](#)

UNISQL's Next-Generation Object-Relational Database Management System

useful **object-oriented extensions** emerging from ANSI SQL3. The client **API** call
interface is much like a traditional **relational API** such as those ...
[portal.acm.org/ft_gateway.cfm?id=234902&type=pdf&dl=GUIDE&dl=ACM](#) - [Similar pages](#)

Course Description

The course also explains how to map an **object-oriented** design to a **relational database**
and how to design a multitier **database** application. ...
[www.scl.com/training/java/SL_330.html](#) - 16k - [Cached](#) - [Similar pages](#)

Method and apparatus for accessing a relational database without ...

C++ allows retrieval of data from a **relational database** through direct access to a C
program, but is an **extension** to C for **object-oriented** programming. ...
[www.freepatentsonline.com/5212787.html](#) - 36k - [Cached](#) - [Similar pages](#)

Open Source Persistence Frameworks in Java

The **Hibernate Query** Language, designed as a "minimal" **object-oriented extension** to
SQL, provides an elegant bridge between the **object** and **relational** worlds. ...
[java-source.net/open-source/persistence](#) - 43k - [Cached](#) - [Similar pages](#)

Object Oriented Application Cooperation Methods with Relational ...

object oriented applications with **relational** databases. persistence of **object** graph,
using **API** and how to write **object oriented query**. ...
[ieeexplore.ieee.org/iel5/4297461/4297462/04297568.pdf?arnumber=4297568](#) -
[Similar pages](#)

[PDF] The Metadata API's baseline requirements

File Format: PDF/Adobe Acrobat - [View as HTML](#)
a **relational database** is sufficient for the tasks of supporting and managing. LIGO's
metadata. Other types considered included **object oriented** databases ...
[www.ligo.caltech.edu/docs/T/T980119-00.pdf](#) - [Similar pages](#)

An Intro to Java Object Persistence with JDO

`getID(); } query.close(result);` The structural differences between Java **object** hierarchies
and **relational database** tables makes the challenge of persisting ...
[www.devx.com/Java/Article/26703/1954?pf=true](#) - 22k - [Cached](#) - [Similar pages](#)

[PDF] Object-Oriented and Object- Relational Database Systems Basic ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Same type system between DBMS and API. %. Expressive power **Object-Relational**
DBMSs. O/R DBMS, the next wave (Stonebraker). **Query**. **No Query** ...
[www.cs.cmu.edu/~natassa/courses/15-823/S01/lectures/4_OO.pdf](#) - [Similar pages](#)

Introduction

Using aspect-oriented approach for building transparent database API And relational database systems often has object-oriented extensions allowing to ...
www.garret.ru/~knizhnik/oodbms.html - 47k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6968344".pn. and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:04
L2	2	"6968344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:05
L3	2	"7162469".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
L4	6	"2002017".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
L5	2	"20020174417".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:16
L6	52	class with item with framework and (API or interface) and extension and relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:25
L7	32	class with item with framework and (API or interface) and extension and relationship and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:28
L8	3	class with item with framework and (API or interface) and extension and relationship and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:34

EAST Search History

L9	10	class with item with framework and (API or interface) and extension and relationship and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 same parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:38
L10	2	"20030110189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:36
L11	28	class with item with framework and (API or interface) and extension and relationship and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:39
L12	29	class with item with framework and (API or interface) and extension and (inheritance or relationship or parent) and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and instance and type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:20
L13	2	"6343287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:12

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	2	"6343287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:12
L14	867	class with framework and (API or interface) and extension and (inheritance or relationship or parent) and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and instance and type and creat\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:03
L15	38	class with framework and (API or interface) and extension with item and (inheritance or relationship or parent) and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and instance and type and creat\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:04
L16	38	class with framework and (API or interface) and extension with item and (inheritance or relationship or parent) and (store or repository or database or server) with (updat\$3 or chang\$4 or modif\$5) and quer\$3 and instance and type and creat\$4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 13:04